



GENERAL NOTES:

- 1. ALL MATERIAL AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE WASHINGTON STATE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION DATED 2016, AND AMENDMENTS.
- 2. THIS STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE WITH THE REQUIREMENTS OF THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS 7TH EDITION 2014 WITH INTERIM THROUGH 2015.
- 3. THE SEISMIC DESIGN OF THIS STRUCTURE HAS BEEN PREPARED IN ACCORDANCE WITH PUBLICATION NO. FHWA- NHI-10-034 DECEMBER 2009 EDITION "TECHNICAL MANUAL FOR DESIGN AND CONSTRUCTION OF ROAD TUNNELS CIVIL ELEMENTS" USING A SEISMIC PEAK GROUND ACCELERATION OF 0.404.
- 4. THE PRECAST CONCRETE SHALL BE CLASS 6000 AND ALL OTHER CAST-IN-PLACE CONCRETE SHALL BE CLASS 4000.
- 5. ALL PLATES, BOLTS, AND WASHERS SHALL BE GALVANIZED PER AASHTO MIII.
- 6. SEGMENTAL PRECAST CONCRETE BOX CULVERT UNITS SHALL BE MANUFACTURED IN ACCORDANCE WITH THE ASTM C 1786 AND STANDARD SPECIFICATION SECTION 6-02.3(28). ALL JOINTS SHALL BE TONGUE AND GROOVE AND SEALED WITH JOINT SEALANT PER ASTM C 990 AND WRAPPED WITH EXTERNAL SEALING BAND PER ASTM C 877.
- 7. UNLESS OTHERWISE SHOWN IN THE PLANS, CONCRETE COVER MEASURED FROM THE FACE OF CONCRETE TO THE FACE OF ANY REINFORCING STEEL SHALL BE 2" AT ALL LOCATIONS OF THE PRECAST BOX CULVERT, 3" AT BOTTOM OF WINGWALL FOOTING AND 2" AT ALL OTHER LOCATIONS.
- 8. THE FABRICATOR SHALL DESIGN THE LIFTING AND TRANSPORTING OF THE PRECAST BOX CULVERT AND THE PRECAST RETAINING WALL OPTION PER STANDARD SPECIFICATIONS FOR SUBMITTAL.
- 9. BACKFILL ON BOTH SIDES OF THE CULVERT SHALL BE PLACED IN SEQUENCE AND COMPACTED IN ACCORDANCE TO THE STD. SPEC 2-09.3(1)E. THE MAXIMUM FILL HEIGHT DIFFERENCE MEASURED FROM SIDE TO SIDE SHALL NOT EXCEED 2'-0".
- 10. THE NOMINAL BEARING RESISTANCE OF BOX CULVERT BOTTOM SLAB SHALL BE TAKEN AS STATED IN THE GEOTECH REPORT, THE FACTORED BEARING RESISTANCE VALUES ARE AS FOLLOWS:

SLAB	SERVICE LIMIT STATE	STRENGHT LIMIT STATE	EXTREME LIMIT STATE
воттом	KSF	KSF	KSF





TYPICAL CULVERT CROSS SECTION

DIMENSIONS MEASURED NORMAL TO CV LINE SHOWN AT CV STA. 31+58.03

Ζ.													
a	Bridge Design Engr.	Khaleghi, B		M:\X-T	Feam\BR532-8_CHURCH CREEK_FISH PASS	AGE_	_NWR\wi	ndow f	iles\GEN	IERAL NOTES.WND			
3	Supervisor	Stoddard, RB						REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
٩.	Designed By	Tran, LH	05/16										
2	Checked By							10	WASH.				
2	Detailed By							TODA	II IMPED				
4	Bridge Projects Engr.							JOBIN	NUMBER				
2	Prelim. Plan By							CONTR	RACT NO.				
	Architect/Specialist	•		DATE	REVISION	BY	APP'D						



BRIDGE AND STRUCTURES OFFICE




PRELIMINARY Washington State Department of Transportation	
NOT FOR CONSTRUCTION	ſ


SR 532	BRIDGE SHEET NO.
	3
CHURCH CREEK BRIDGE NO. 532/8	SHEET
GENERAL NOTES AND DATA	OF
	SHEETS

E FILE NO. SI

Tue Jul 19 14:47:51 2016



INSTALLATION



ELEVATION INSTALLATION PROCEDURE

SUBGRADE PREPARATION

EXCAVATION FOR WINGWALLS NOT SHOWN. SEE "WINGWALL DETAIL SHEETS" FOR DETAILS NOT SHOWN

Ζ.														
-1	Bridge Design Engr.	Khaleghi, B		M:\X-T	eam\BR532-8_CHURCH CRI	EEK_FISH PASSAG	GE_	NWR\wi	ndow f	iles\CON	STR SEQ.WND			_
∃	Supervisor	Stoddard, RB							REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
Ξ,	Designed By	Tran, LH	05/16											
32	Checked By								10	WASH.				
22	Detailed By							-	TOPA	IUMBER				
걸	Bridge Projects Engr.								יו פטנ	IUMDER				
• 1	Prelim. Plan By								CONTR	ACT NO.				
	Architect/Specialist			DATE	REVISION	E	ЗY	APP'D						
	Tue Jul 19 14:47:52 2	2016	,			•								





BRIDGE
AND
STRUCTURES
OFFICE




PRELIMINARY Washington State Department of Transportation	
NOT FOR CONSTRUCTION	


	_
SR 532	BRIDGE SHEET NO.
	4
CHURCH CREEK BRIDGE NO. 532/8	SHEET
STRUCTURAL EXCAVATION AND SUBGRAD PREPARATION	OF
JUDURNU I KLI ARATION	SHEETS







TYPICAL UPPER UNIT SHOWN. END UPPER UNITS SIMILAR UNLESS SHOWN OTHERWISE.



←CV LINE 10'-61/4" VARIES (TYP.) OUTSIDE FACE 4 (TYP.) 1 (TYP.) INSIDE FACE 1'-63/8" (TYP.) (TYP.) SEE DETAIL (1 30'-0" MIN. CHANNEL WIDTH (TYP.) -2'-0" FILLET (TYP.) INSIDE FACE -OUTSIDE FACE -UNIT TYPICAL SECTION

SHOWN LOOKING AHEAD ON STATION.

END UNITS SIMILAR UNLESS OTHERWISE SHOWN.

PLAN LOWER TRAPEZOID UNIT

TYPICAL LOWER UNIT SHOWN. END LOWER UNITS SIMILAR UNLESS SHOWN OTHERWISE.

Bridge Design Engr. Khaleghi, B M:\X-Team\BR532-8_CHURCH CREEK_FISH PASSAGE_NWR\window files\PCS TRAP GEOM 1 OF 2.WND REGION STATE Stoddard, RB FED. AID PROJ. NO. SHEET NO. Supervisor 07/16 Designed By Tran, LH WASH. Checked By Detailed By JOB NUMBER Bridge Projects Engr. Prelim. Plan By CONTRACT NO. Architect/Specialist DATE REVISION




BRIDGE AND STRUCTURES **OFFICE**




PRELIMINARY Washington State
Department of Transportation NOT FOR CONSTRUCTION

SR 532 SHEET NO. CHURCH CREEK BRIDGE NO. 532/8 PRECAST TRAPEZOID UNIT GEOMETRY DETAIL 1 OF 2






SECTION A
UPPER UNIT 7





SECTION

AHEAD ON STATIONING



SECTION B
LOWER UNIT 7





DETAIL (1)

_													_
-1	Bridge Design Engr.	Khaleghi, B		M:\X-T	eam\BR532-8_CHURCH CREEK_FISH PASS	AGE_	NWR\wi	ndow f	iles\PCS	TRAP GEOM 2 OF 2.	√ND		
∃	Supervisor	Stoddard, RB				П		REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
₹.	Designed By	Tran, LH	07/16			П							
2	Checked By					П		10	WASH.				
2	Detailed By							TODA	II IMPED				
ž	Bridge Projects Engr.							JOBIN	NUMBER				
,,	Prelim. Plan By							CONTR	RACT NO.				
	Architect/Specialist			DATE	REVISION	BY	APP'D						



BRIDGE AND STRUCTURES OFFICE




PRELIMINARY Washington State Department of Transportation	
NOT FOR CONSTRUCTION	ſ

SR 532	BRIDGE SHEET NO.
	8
CHURCH CREEK BRIDGE NO. 532/8	SHEET
RECAST TRAPEZOID UNIT GEOMETRY DETAILS 2 OF 2	OF
DETAILS Z OF Z	SHEETS


Tue Jul 19 14:47:54 2016

. SHEET 8



UPPER RECTANGULAR UNIT

TYPICAL UPPER UNIT SHOWN. END UPPER UNITS SIMILAR UNLESS SHOWN OTHERWISE.



PLAN LOWER RECTANGULAR UNIT

TYPICAL LOWER UNIT SHOWN. END LOWER UNITS SIMILAR UNLESS SHOWN OTHERWISE.

Bridge Design Engr. Khaleghi, B M:\X-Team\BR532-8_CHURCH CREEK_FISH PASSAGE_NWR\window files\PCS RECT GEOM 1 OF 2.WND REGION STATE Stoddard, RB FED. AID PROJ. NO. SHEET NO. Supervisor 05/16 Tran, LH Designed By WASH. Checked By Detailed By JOB NUMBER Bridge Projects Engr. Prelim. Plan By CONTRACT NO. Architect/Specialist DATE REVISION



BRIDGE AND STRUCTURES OFFICE



10'-61/4"

(TYP.)

SEE DETAIL

OUTSIDE FACE-

-2'-0" FILLET (TYP.)

PRELIMINARY Washington State Department of Transportation	
NOT FOR CONSTRUCTION	Í

SR 532	BRIDGE SHEET NO.
	9
CHURCH CREEK BRIDGE NO. 532/8	SHEET
RECAST RECTANGULAR UNIT GEOMETRY DETAIL 1 OF 2	OF

-OUTSIDE FACE

4 (TYP.)

1'-63/8"

(TYP.)

1 (TYP.)

1'-7"

(TYP.)

(TYP.)

SHOWN LOOKING AHEAD ON STATION. END UNITS SIMILAR UNLESS OTHERWISE SHOWN.

UNIT TYPICAL SECTION

30'-0" MIN.

CHANNEL WIDTH


-INSIDE FACE

←CV LINE


6'-034"

(TYP.)
















AHEAD ON STATIONING





OUTSIDE FACE



DETAIL

_													
-1	Bridge Design Engr.	Khaleghi, B		M:\X-T	eam\BR532-8_CHURCH CREEK_FISH PASS	SAGE_	_NWR\wi	ndow f	iles\PCS	RECT GEOM 2 OF 2.	VND		
∄	Supervisor	Stoddard, RB				П		REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
Ξ.	Designed By	Tran, LH	06/16										
2	Checked By							10	WASH.				
2	Detailed By							TODA	II IMPED				
ž	Bridge Projects Engr.							JOBIN	NUMBER				
,,	Prelim. Plan By							CONTR	RACT NO.				
	Architect/Specialist			DATE	REVISION	BY	APP'D						





BRIDGE AND STRUCTURES OFFICE




PRELIMINARY Washington State Department of Transportation	
NOT FOR CONSTRUCTION	PRE

SR 532	BRIDGE SHEET NO.
	10
CHURCH CREEK BRIDGE NO. 532/8	SHEET
ECAST RECTANGULAR UNIT GEOMETRY	OF








SECTION B
REINFORCING NOT
SHOWN FOR CLARITY.

* OTHER ANCHOR DEVICE OR DRILLED HOLE WITH EPOXY RESIN MAY BE USED. SUBMIT DETAILS TO THE ENGINEER FOR APPROVAL.



VIEW C

ALL PLATES, BOLTS AND WASHERS SHALL BE GALVANIZED PER AASHTO MIII.

a	Bridge Design Engr.	Khaleghi, B		M:\X-T	eam\BR532-8_CHURCH CREEK_FISH PA	ASSAGE	_NWR\wi	ndow f	iles\PCS	CONNECTON DTL.wnd			
3	Supervisor	Stoddard, RB						REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
٩.	Designed By	Tran, LH	05/16										
2	Checked By							10	WASH.			1 1	
게	Detailed By							TODA	II II ADED			1 1	
4	Bridge Projects Engr.							JOBI	NUMBER			1 1	
2	Prelim. Plan By							CONTR	RACT NO.			1 1	
	Architect/Specialist			DATE	REVISION	BY	APP'D					1 1	



NOTE:


BRIDGE AND STRUCTURES OFFICE




)	PRELIMINARY Washington State Department of Transportation	
	NOT FOR CONSTRUCTION	


SR 532	BRIDGE SHEET NO.
	11
CHURCH CREEK BRIDGE NO. 532/8	SHEET
PRECAST SEGMENT BOX CULVERT	OF
CONNECTION DETAILS	SHEETS


Tue Jul 19 14:47:56 2016



SEAL DETAIL ~ ELEVATION VIEW
TYPICAL EXCEPT END SIDE OF END UNIT







G-21	Bridge Design Engr.	Khaleghi, B	ndow f	iles\PCS	JOINT DTL.wnd								
∃	Supervisor	Stoddard, RB						REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
Ξ.	Designed By	Tran, LH	05/16										
22	Checked By Detailed By							10	WASH.				
2	Detailed By							TODA	II II ADED		1		
K.	Bridge Projects Engr.							JOBI	NUMBER				
J 2	Prelim. Plan By							CONTR	RACT NO.				
	Architect/Specialist			DATE	REVISION	BY	APP'D				1	1 1	




BRIDGE
AND
STRUCTURES
OFFICE



PRELIMINARY Washington State Department of Transportation	
NOT FOR CONSTRUCTION	

SR 532	BRIDGE SHEET NO.
	12
CHURCH CREEK BRIDGE NO. 532/8	SHEET
PRECAST SEGMENT BOX CULVERT SEAL AND JOIN SEAL DETAIL	OF
	SHEETS



DEVELOPED CULVERT END ELEVATION - UP STREAM

> LOOKING BACK ON STATIONING CV LINE STA. 32+51.06

-1	Bridge Design Engr.	Khaleghi, B		M:\X-T	eam\BR532-8_CHURCH CREEK_FISH PA	SSAGE	_NWR\wi	ndow f	iles\WIN	IGWALL 1.wnd			Г
∃	Supervisor	Stoddard, RB						REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	ĺ
∸.	Designed By	Tran, LH	05/16										ĺ
2	Checked By							10	WASH.				ĺ
	Detailed By							TOP	NUMBER				ĺ
Ä	Bridge Projects Engr.							JUBI	NUMBER				ĺ
,,	Prelim. Plan By							CONTE	RACT NO.				ĺ
	Architect/Specialist			DATE	REVISION	BY	APP'D	1				1 /	1

REFERENCE LINE ELEVATION 10.0 -





BRIDGE AND STRUCTURES OFFICE



PRELIMINARY Washington State Department of Transportation	

SR 532	SHEET NO.
	13
CHURCH CREEK BRIDGE NO. 532/8	SHEET
WINGWALL	OF





Need to revise drawing

ELEVATION

NOTES:

- 1. ALL POSTS AND BRACES SHALL BE STEEL PIPE ASTM A53 GRADE B, TYPE E OR S, OR EQUIVALENT HSS ROUND TUBE ASTM A500 GRADE B.
- 2. ALL STEEL PLATES SHALL BE ASTM A36 OR ASTM A572.
- 3. WIRE ROPE SHALL CONFORM TO ASTM AGO3 WITH CL. A WEIGHT ZINC-COATED WIRES.
- 4. ALL PARTS EXCEPT WIRE ROPE SHALL BE HOT DIP GALVANIZED IN ACCORDANCE WITH AASHTO M111, M232, OR ASTM F2329 AFTER FABRICATION, UNLESS NOTED OTHERWISE.
- 5. SPELTER SOCKETS AND SOCKETING PROCEDURE SHALL BE IN ACCORDANCE WITH THE SPELTER SOCKET MANUFACTURER.
- 6. ALL POSTS SHALL BE INSTALLED VERTICAL. WIRE ROPE SHALL BE INSTALLED PARALLEL TO TOP OF WALL.
- 7. WIRE ROPE SHALL BE INSTALLED TO 400 LBS TENSION LEAVING A TAKE UP OF 6" STILL AVAILABLE IN THE TURNBUCKLE. THE CONTRACTOR SHALL SUBMIT CABLE TENSIONING DETAILS TO THE ENGINEER FOR APPROVAL.
- 8. EACH CONTINUOUS LENGTH OF CABLE SHALL HAVE A TURNBUCKLE AT ONE END ONLY AND SHALL BE ANCHORED TO THE END POSTS.
- 9. INTERMEDIATE AND END POSTS SHALL NOT BE INSTALLED ACROSS AN EXPANSION JOINT.
- 10. CABLE FENCE WAS DESIGNED FOR A 200 LB. SERVICE LOAD ON THE TOP RAIL APPLIED IN ANY DIRECTION, IN ACCORDANCE WITH THE WASHINGTON ADMINISTRATIVE CODE 296-155-24615.
- 11. WIRE ROPE, SPELTER SOCKETS, TURNBUCKLES AND THEIR CONNECTIONS SHALL HAVE A MINIMUM BREAKING STRENGTH OF 26 KIPS.
- 12. SUPPLEMENTAL REQUIREMENTS S2, S3 AND S4 OF ASTM F1554 NEED NOT BE MET FOR THE ANCHOR BOLTS.

Bridge Design Engr. Khaleghi, B M:\X-Team\BR532-8_CHURCH CREEK_FISH PASSAGE_NWR\window files\FALL PROTECTION 1.wnd

Supervisor Stoddard, RB REGION STATE FED. AID PROJ. NO. SHEET TOTAL

Designed By
Checked By
Detailed By
Bridge Projects Engr.
Prelim. Plan By
Architect/Specialist
DATE REVISION BY APPD

M:\X-Team\BR532-8_CHURCH CREEK_FISH PASSAGE_NWR\window files\FALL PROTECTION 1.wnd

SHEET TOTAL

NO. SHEET TOTAL



BRIDGE AND STRUCTURES OFFICE



SR 532

SR 532

SR 532

Atte
Transportation

CHURCH CREEK BRIDGE NO. 532/8

CABLE FENCE
DETAILS 1 OF 2

10. SHEET 14

FILE NO. SHEE

